



BY APPOINTMENT TO H.M. THE QUEEN
MANUFACTURERS OF BRUSHWARE
THE HILL BRUSH COMPANY LTD WIDE, WILTSHIRE



Salmon Hygiene Technology
HYGIENE & FOOD SAFETY

2021



A comprehensive collection of janitorial products suitable for a multitude of uses in schools, council areas, agricultural, construction and maintenance settings and other commercial applications.

JANITORIAL BRUSHWARE

BANISTER BRUSH (0.3MM-0.6MM)

Soft Crimped PBT Fill **B1060**



Stiff PBT Fill **B1061**



280 x 35mm



11" FLOOR BRUSH (0.3MM-0.6MM)

Soft Crimped PBT Fill **B1058**



Stiff PBT Fill **B1059**



White back only. Suitable handle ALH5
279 x 56mm



SCRUB WITH SWIVEL JOINT (0.6MM)

Extra Stiff Polyester Fill **ST12**



Tile scrub with universal joint, ideal for shower trays and tight spaces in bathrooms. White back only. Suitable handle: ALH7, ALH27
197 x 78mm



GROUT SCRUB WITH SWIVEL JOINT (0.6MM)

Extra Stiff Polyester Fill **ST11**



V-shaped trim allows for effective grout scrubbing. White back only. Suitable handles: ALH7, ALH27
240 x 34mm



STIFF GRIPPY SCRUB (0.6MM)

Polyester Fill **ST8**



For close work on bathroom floors and tiles
152 x 60mm



DUSTPANS

DUSTPAN

DP1



Use with JP13 and JP14
330 x 203mm



DUSTPAN WITH SOFT BANISTER BRUSH

DP4SET



DP1 dustpan nested with soft JP13 banister brush
330 x 203mm



DUSTPAN WITH STIFF BANISTER BRUSH

DP9SET



DP1 dustpan nested with stiff JP14 banister brush
330 x 203mm



ENCLOSED DUSTPAN

DP3



Suggested brushes, see pages 50-51
180 x 300mm



ENCLOSED STEEL DUSTPAN

Painted Steel Body DP6



Suggested brushes, see pages 11-12
320 x 210mm



JUMBO DUSTPAN WITH BANISTER BRUSH

Stiff Polyethylene Fill B1788



Extra wide open dustpan nested with stiff brush
410 x 330mm



LOBBY DUSTPAN AND ANGLED BRUSH SET

Flagged Polyethylene (PET) Fill DP5SET



LHB5 and DP5 combined. See also DP7SET (Page 61)
305 x 1041mm



LOBBY DUSTPAN

DP5



Black base with coloured lid. Steel handle
305 x 1041mm



ANGLED LOBBY BROOM

Flagged Polyethylene (PET) Fill LHB5



Angle broom for use with lobby dustpans
305 x 914



LIGHT LOBBY DUSTPAN AND ANGLED BRUSH SET

DP10SET



Convenient to use in restaurants, the workplace, or at home
900 x 280



DISH WASHING AND PLUNGERS

DELUXE MEDIUM DISH WASH BRUSH (0.35MM)

Polyester Fill DW1090



270 x 30mm



STIFF HALF RADIAL POT BRUSH

Polypropylene Fill DW726



Plastic handle in assorted colours
240 x 24mm



STIFF POT BRUSH WITH SCRAPER

Polypropylene Fill DW582



Plastic handle in assorted colours
190 x 32mm



DW1090

KNITTED MICROFIBRE CLOTH

MFC210



Use for smear-free results. Great for polishing glass
400 x 360mm



GRIPPED SPONGE SCOURING PADS

SP40/10PK



1 pack includes 10 sponges
130 x 70mm



MEDIUM FORCE SINK PLUNGER (NEW)

PL20



Rubber suction cup with wooden handle
(Previously black rubber, 254 x 100mm ϕ)
285 x 120mm ϕ



LARGE FORCE SINK PLUNGER (NEW)

PL21



Rubber suction cup with wooden handle
(Previously black rubber, 406 x 120mm ϕ)
361 x 150mm ϕ



TOILET BRUSHES

STIFF DOMED HEAD TOILET BRUSH

Union Mix Fill N1



430 x 35mm ϕ



STIFF DOMED HEAD TOILET BRUSH

Polypropylene Fill N5



360 x 75mm ϕ



STIFF BENT HANDLED TOILET BRUSH

Polyester Fill N8



340 x 50mm



STIFF DOMED HEAD TOILET BRUSH WITH HOLDER

Polypropylene Fill N6Y



Brush: 360 x 75mm ϕ
Pot: 160 x 125mm ϕ



STIFF TOILET BRUSH WITH ENCLOSED HOLDER

Polyester Fill N7



Polypropylene filaments with anti-rust staples
385 x 142mm ϕ



STIFF DOMED HEAD TOILET BRUSH WITH HOLDER

Polypropylene Fill N6



Brush: 360 x 75mm ϕ
Pot: 356 x 125mm ϕ



STIFF DOMED HEAD TOILET BRUSH WITH HOLDER

Polypropylene Fill N11



385 x 142mm ϕ



LITTERPICKERS

ECONOMY LITTERPICKER

LP5



For collecting heavy items of litter
990 x 157mm



HILLBRUSH LITTERPICKER

LP30



Trigger activated jaw with teeth
850 x 110mm



HILLBRUSH LITTERPICKER WITH TRIGGERGUARD™

LP31



Trigger activated jaw with teeth
850 x 110mm




HILLBRUSH LITTERPICKER WITH TRIGGERGUARD™

LP32



Trigger activated jaw with teeth
870 x 110mm



SOFT GRIP HILLBRUSH LITTERPICKER

Angled Handle **LP33**
Straight Handle **LP34**
Replacement Ends (pair) **LP-END**



890 x 155mm



HILLBRUSH EXTRA LONG LITTERPICKER

LP35



904 x 100mm



BAG HOOP AND HANGER

HANDY HOOP

HH1



Conveniently holds rubbish bags open.
Light and easy to use in commercial or industrial settings, or with our litter pickers
355mm ø



WALL BRACKET

HH2



Wall bracket to store HH1 Handy Hoop. The hoop may be angled for storage when not in use, or at 90° if being used as a bin
120 x 110 x 80mm



BAG HOOP WITH WALL BRACKET

HH3



Coloured HH1 with Black HH2
Refer to individual items for sizes



HH1 + LP31

SHOE COVER DISPENSER

AUTOMATIC SHOE COVER DISPENSER

AD1



Hands-free shoe and boot covers, to prevent trafficked soil and to protect floors. Suitable for up to a UK size 13 shoe. Comes with 110x ADR2 covers
130 x 210 x 410mm



AD1

REPLACEMENT SHOE COVERS

100 x Standard ADR2
100 x Slip Resistant ADR3



Suitable for up to a UK size 13 shoe



Visit our YouTube channel to access our How To Videos, including a video tutorial showing you how to load the AD1 Automatic Shoe Cover Dispenser.

BOAR BRISTLE TUBE BRUSHES

We offer a large range of high quality tube brushes (also known as twisted wire, spiral or internal brushes). They are an integral component in many manufacturing and cleaning environments due to their deburring and finishing capabilities.

1 TAPERED TUBE BRUSH

TPS1



65 x 3-22mm ϕ (210mm Overall)

2 SMALL TUBE BRUSH

SIM3



64 x 7mm ϕ (210mm Overall)

3 SMALL TUBE BRUSH

D43



64 x 5mm ϕ (400mm Overall)

4 TUBE BRUSH

AL51/2



120 x 13mm ϕ (400mm Overall)

5 LARGE TUBE BRUSH

D38 (Fan tuft)



105 x 31mm ϕ (400mm Overall)

6 LARGE TAPERED TUBE BRUSH

D42



120 x 13-38mm ϕ (400mm Overall)



SMALL SYNTHETIC TUBE BRUSHES

Other twisted wire brushes are available. See page 56

1 SMALL TUBE BRUSH

AL5N1/2



125 x 12mm ϕ (300mm Overall)

2 TUFTED SMALL TUBE BRUSH

T664 (Fan tuft)



127 x 64mm ϕ (300mm Overall)

3 SMALL TUBE BRUSH

AL5N3/8



120 x 10mm ϕ (400mm Overall)

4 SMALL TUBE BRUSH

D36N



120 x 8mm ϕ (400mm Overall)

5 SMALL TUBE BRUSH

AL5LN



125 x 13mm ϕ (400mm Overall)

6 TAPERED SMALL TUBE BRUSH

T548



120 x 19-38mm ϕ (400mm Overall)

7 SMALL TUBE BRUSH

FUL8N



114 x 22mm ϕ (400mm Overall)

8 OUTLET BRUSH

T294



152 x 54mm ϕ (680mm Overall)



SYNTHETIC BOTTLE BRUSHES

1 ¼ PINT BOTTLE BRUSH

BB1



135 x 45mm ϕ (305mm Overall)

2 ½ PINT BOTTLE BRUSH

BB2



120 x 50mm ϕ (380mm Overall)

3 1 PINT BOTTLE BRUSH

BB3



160 x 60mm ϕ (430mm Overall)

4 2 PINT BOTTLE BRUSH

BB4



200 x 75mm ϕ (480mm Overall)

Perfect for cleaning interior surfaces of tubes, female threads and drilled holes



FLUE BRUSHES

1 FLUE BRUSH

Gumati Fill (Interwoven type) **FLUE1/2**



152 x 50mm ϕ (762mm Overall)

2 FLUE BRUSH

Gumati Fill **FLUE4**



178 x 102mm ϕ (1219mm Overall)

3 FLUE BRUSH

Gumati Fill **FLUE5**



178 x 102mm ϕ (1524mm Overall)

4 FLUE BRUSH

Bassine Fill **FLUE6**



229 x 122mm ϕ (1829mm Overall)

Single spiral construction, incorporating premium fibres such as gumati and bassine for a thorough debris cleanse. Manufactured in the UK



DUSTERS

SOFT VENETIAN BLIND DUSTER

Acrylic Fill **B1328**



Assorted colours. Split head dust mop
410 x 120mm ø



EXTRA SOFT TWISTED WIRE COBWEB BRUSH

PVC Fill **COR7**



Suitable Handles: ALH5, ALH6
365 x 340mm



1 SOFT LAMBSWOOL DUSTER

Plastic Handle **DOD1**



356mm (584mm Overall)

2 SOFT LAMBSWOOL DUSTER

Plastic Handle **DOD2**



970mm (1220mm Overall)

3 SOFT FEATHER DUSTER

Plastic Handle **DOD3**



406mm (584mm Overall)

4 SOFT FEATHER DUSTER

Plastic Handle **DOD4**



1041mm (1219mm Overall)

5 EXTRA SOFT COBWEB BRUSH

PVC Fill (Extending Handle) **COR9**



Domed head for awkward areas
150 x 170mm ø (1170-1960 Overall)

6 EXTRA SOFT COBWEB BRUSH

PVC Fill (Extending Handle) **COR10**



Assorted colours
470 x 60mm ø (1400-1920 Overall)



PIPE DUSTING BRUSHES

CURVED TWISTED WIRE BRUSH (0.35MM)

120mm ø, Soft Fill **T1072**



For cleaning light debris on pipework. Use with HAN1352 or FGHS 520 x 120mm ø

TRIANGULAR TWISTED WIRE BRUSH (0.5MM)

120mm ø, Stiff Fill **T1073**



For cleaning large debris on pipework. Use with HAN1352 or FGHS 480 x 120mm ø

TELESCOPIC HANDLES

1 ALUMINIUM TELESCOPIC HANDLE

HAN1352


Extending aluminium handle, twist lock, complete with AH/CON. To fit any threaded hygiene product (not food contact approved) 1300 x 21.5mm (4000mm overall)



2 FIBREGLASS TELESCOPIC HANDLE

FGH5

Heavy duty fibreglass, lever lock, to fit any threaded hygiene product 1175 x 35mm (5230mm overall)



PLASTIC ANGLE ADAPTOR CONNECTOR

AH/CON

Best suited for pipe brushes above. This will also connect any threaded handle on page 58 to products up to 300mm on page 51-54 allowing angling of the broom up to 180° 140 x 40mm



DRY MOPS

MICROFIBRE SWEEPER HEAD

MFP60



Use with 5361/60. For dry mopping 600mm

COTTON SWEEPER HEADS (1 PAIR)


5102



Use with SCIS/MOP1 950 x 170mm

SCISSOR MOP FRAME

SCIS/MOP1



Superior quality v-style sweeper with 1570mm powder-coated handles and 920mm frames for cleaning large corridors and open areas. Sweeper heads sold separately 1570 x 920mm

DUST MOP FRAME

5361/60



Plastic and metal construction with 360° swivel joint. Hinged socket for easy mop replacement. Sweeper heads sold separately. Suitable handle ALH5
565 x 90mm

COTTON SWEEPER HEAD

5162/60



Use with 5361/60. For schools or hospitals
615 x 150mm

SPONGE MOP

SPONGE MOP FRAME

SPNG/FRM1



Metal frame, plastic fittings, lever/roller mechanism for wringing out mop. Sponges sold separately. Fittings in blue or white
1370 x 315mm



SPONGE MOP HEAD

Polyurethane SPONGE2



320 x 90mm



SPNG/FRM1 + SPONGE2

WET MOPS

STANDARD EXCEL MOP

200g MOP1/200



300g MOP1/300



Yarn mop with coloured socket. Suitable handles: ALH6, ALH7

ECONOMY YARN MOP

Size 12 12PY

Size 16 16PY



Multi-yarn mop with metal socket for a wooden handle
Fits any 23mm ø wooden handle (page 22)

STANDARD EXCEL MOP

200g **MOP2/200**



Twine mop with coloured socket. Suitable handles: ALH6, ALH7

ECONOMY YARN KENTUCKY MOP

Size 16 **16KT**



Use with ALH/CLIP1. Cotton centre band with looped multi-fold yarn

LOOPED HYGIEMIX MOP

MOP5/250



Optimal absorption and durability. Suitable handles ALH6, ALH7

LOOPED HYGIEMIX KENTUCKY MOP

Blue Trim **KMOP4/450**
White Trim **KMOP6/450**



Optimal absorption and durability. Use with ALH/CLIP2

ULTRA ABSORBENT STRIP MOP

MOP10/130



Shrink resistant. Can absorb up to 5 times its weight in water. Lint-free. Suitable handles: ALH5, ALH7, ALH8, ALH27

ULTRA ABSORBENT KENTUCKY STRIP MOP

KMOP8/250



Shrink resistant. Can absorb up to 5 times its weight in water. Lint-free. Use with ALH/CLIP2

LOOPED BIOFRESH MOP

MOP9/200



Contains antibacterial biofresh technology. Suitable handles: ALH5, ALH7, ALH8, ALH27

LOOPED KENTUCKY BIOFRESH MOP

KMOP11/340



Shrink resistant. Contains antibacterial biofresh technology. Lint-free. Use with ALH/CLIP2



MBK7 + KMOP11/340 + ALHCLIP2

MOP HANDLES AND HOLDERS

HANDLE FITTED WITH KENTUCKY MOP FRAME

Aluminium ALH/CLIP1



Aluminium handle, zinc plated frame, coloured polypropylene grip
122 x 155mm (1380mm overall)

ZINC PLATED KENTUCKY FRAME WITH CLIP

ZP/FRM



For use with any hygiene handle (page 58-59). Handle must be riveted in place (Rivet not included)
110 x 145mm

KENTUCKY MOP HOLDER WITH ALUMINIUM HANDLE

ALH/CLIP2



Coloured plastic holder fixed to an aluminium handle
1380mm

KENTUCKY MOP HOLDER

KEN/CLIP



Suitable handle: ALH7A
100 x 265mm ø

SPECIALIST FLOOR CARE

FLOOR PADS

Extreme Abrasion **5222BK**
High Abrasion **5222G**
Medium Abrasion **5222B**
Low Abrasion **5222W**



115 x 255 x 25mm

FLOOR PAD GRIPPERS

D-Grip **5228**

D-shape handle for secure grip when scrubbing



Socketed **5229**

Threaded socket and 360° swivel joint. Suitable handles ALH7, ALH8



230 x 95mm

HEAVY DUTY FLOOR SIGNS / A-FRAMES

Caution Wet Floor **8614GB**
Caution Trip Hazard **8617GB**
Cleaning in Progress **8620GB**



These signs can be printed with your own custom message and company logo. Minimum order quantities apply. Please contact us for more information

685 x 297mm





8620GB

METAL SCRAPERS

SCRAPER WITH ALUMINIUM HANDLE

Stainless Steel Blade **MSC1**



Sprung Steel Blade **MSC2**



Inseparable handle
200 x 1300mm

REPLACEMENT BLADE

For MSC1 **MBLD1**

For MSC2 **MBLD2**



For MSC2. Not suitable for food contact
200 x 85mm

BUCKETS

See also MBK15, page 62

MOP BUCKET

12 Litre **MBK7**



For use with mops. With rose and pouring lip
285 x 370mm

BUILDERS BUCKET

14 Litre **MBK12**



250 x 250 x 330mm ø

SHATTER-RESISTANT BUCKET

9 Litre **MBK8**



For lighter and janitorial duties
with litre and gallon measurements
100 x 265mm ø

GALVANISED STEEL BUCKET

9 Litre **BK9**
12 Litre **BK12**



For hot contents such as ashes

BIN WITH LID

BIN WITH LID

110 Litre PD110



650 x 500mm ø (Tapers to 440mm ø)

SQUEEGEES

For hygienic plastic squeegees, see page 57

WOODEN SQUEEGEE

457mm SQ18
610mm SQ24



Heavy duty rubber blade excels in the control of bulk liquids. Non-conductive. Suitable handles A60/2, A54/2

LIGHTWEIGHT METAL SQUEEGEE

340mm SQ6330
445mm SQ6340



Light metal frame, 100% double mousse rubber. Suitable handles ALH7A, A48/1

LIGHTWEIGHT METAL SQUEEGEE

550mm SQ6356
752mm SQ6375



Light metal frame, reinforced socket, 100% double mousse rubber. Suitable handles ALH7A, A48/1

HEAVY DUTY SQUEEGEE

461mm SQ6400
565mm SQ6500



Galvanised steel frame. Suitable handles: A60/2 and ALH4. Withstands heavy use and harsh chemicals

HEAVY DUTY SQUEEGEE

600mm 24ZPSYC
807mm 32ZPSYC



Zinc plated steel frame. Suitable handles: A60/2 and ALH4. Withstands heavy use and harsh chemicals

SPARE BLADES

For 24ZPSYC (600mm) 24RSYCRU
For 32ZPSYC (807mm) 32RSYCRU



Only compatible with 24ZPSYC and 32ZPSYC. Not for use with other squeegees

HEAVY DUTY ALUMINIUM HANDLE

ALH4

Open end (no thread), red end cap. For use with SQ6400, SQ6500, 24ZPSYC, 32ZPSYC

1300 x 28mm ø



24ZPSYC

SHOVELS

For hygienic plastic shovels, see page 63



1 STEEL HAND SHOVEL

SDH7



Painted Steel blade and wooden handle.
For general use including moving coal,
mud and dust
270 x 185mm (475mm overall)

2 D-GRIP TELESCOPIC SHOVEL

ES1



Compact shovel. Plastic blade and grip
with metal shaft. For light use. Ideal for
storing in the car for bad weather or
for emergency services
310 x 270mm (770-970mm overall)

3 D-GRIP SHOVEL

LHSH



Painted steel blade and grip with wooden
shaft. For heavy debris such as gravel
310 x 270mm (770-970mm overall)

4 D-GRIP LIGHTWEIGHT SHOVEL

PSH8



Good for local council and yard use. Can
be broken down into 3 parts
320 x 260mm (1100mm overall)

5 HEAVY DUTY SNOW SHOVEL

Wooden handle PSH100



Wide mouth and steel lip for cutting ice
380 x 435mm (1320mm overall)

6 HEAVY DUTY SNOW SHOVEL

Blade and Wooden Handle PSHSB17
Blade Only PSHSB16



Ideal for use in snow and bad weather
400 x 420mm (1792mm overall)



PSH8

VEHICLE WASHING BRUSHES

1 PROFESSIONAL WATERFLOW BROOM FITTED WITH EXTENDING HANDLE

Flagged Polyester Fill **PROWBTRIP**



Male hose connector. Use with W/STOP.
For cleaning high-sided vehicles
245 x 80mm (3300mm Overall)

2 PROFESSIONAL WATERFLOW BROOM FITTED WITH EXTENDING HANDLE

Flagged Polyester Fill **PROWBMED**



Male hose connector. Use with W/STOP.
Ideal for cleaning vehicles
245 x 80mm (1780mm Overall)

3 ECONOMY WATERFLOW BROOM FITTED WITH EXTENDING HANDLE

Flagged Polyester Fill **CFB2**



Male hose connector. Use with W/STOP.
Ideal for cleaning windows and vehicles
245 x 80mm (2130mm Overall)



REPLACEMENT PROFESSIONAL WATERFLOW BROOM

Flagged Polyester Fill **PROHEAD**



Fits PROWBMED and PROWBTRIP
254 x 80mm



EXPANDING SUPER SPONGE

MOGG14



Excellent absorbency. Vacuum packed for storage efficiency
210 x 115mm



WATER STOP CONNECTOR

W/STOP



Use with CFB2, PROWBMED, PROWBTRIP. Connects to waterflow appliances and prevents water wastage



PROWBTRIP

WINDOW CLEANING

T-BAR HANDLE

250mm **PW9**
350mm **PW10**
450mm **PW23**



Ergonomic soft touch, anti-slip handle. Use with sleeve PW31, PW32, PW33
152mm

MICROFIBRE T-BAR SLEEVE

250mm **PW31**
350mm **PW32**
450mm **PW33**



Sleeve with hook, fastener and abrasive pad. Lint free and machine washable. For glazed surfaces and UPVC fascias
350 x 65mm

T-BAR SLEEVE

350mm **PW12**



Machine washable sleeve with hook and fastener. Ideal for glazed surfaces and UPVC fascias. Use with PW10
350 x 65mm

SQUEEGEE HANDLE

PW1



Ergonomic soft handle with quick release. Anti-slip and rust resistant. Use with PW2, PW3 and PW4

SQUEEGEE CHANNEL

250mm **PW2**
350mm **PW3**
450mm **PW4**



Rubber included for use with PW1. Ideal for removing surface water from glass

REPLACEMENT SQUEEGEE RUBBER

1050 x 20mm **PW26**

Dura-Flex™ streak-free replacement rubber for PW2, PW3 and PW4. Cut to desired length

350 x 20mm **PW6**

Dura-Flex™ streak-free replacement rubber for PW3



TELESCOPIC HANDLE

PW14



Secure lock. Lightweight, 4-piece handle with anti-slip grips and ACME thread. Use with PW1, PW9, PW10 and PW23
1600 - 5000mm

HANDS FREE CLIP HOLSTER

W04010



For holding 2 squeegees and 1 washer of all brands (up to 450mm). Impact resistant and reinforced. For left- or right-handed use
330 x 92mm

HEAVY DUTY BUCKET

22 Litre **PW17**



For holding equipment and cleaning solution
490 x 240 x 240mm

6½" SOFT WINDOW BROOM

Flagged PVC Fill **WB2**



Suitable Handles: TH48/1, A48/1. Ideal for cleaning windows, door frames and UPVC
163 x 57mm



Pioneers of Hygienic Cleaning Equipment

Hillbrush Hygiene is an internationally recognised brand of cleaning equipment in the food manufacturing industry. Using state-of-the-art machinery and pioneering technologies, we manufacture a world class range of high performance brushes, squeegees and other cleaning equipment, including Resin-Set DRS® Brushware, Total MDX Hygienic Tools, Anti-Microbial Cleaning Equipment and the Hillbrush Foodservice range.

- All components including dyes and resin are FDA and EU food contact approved
- All products are corrosion and rot proof
- All products are designed to be effective and highly durable in tough conditions
- Brushes contain stainless steel staples
- Flagged fibres are not used
- All products are easily cleaned, dishwasher safe and can be autoclaved at 134°C
- We offer an unrivalled choice of products in this industry
- Products are available in up to 12 colours to assist with colour coding
- In-house brush manufacturing and injection moulding ensure consistent product quality
- Hillbrush is registered to the FEIBP Professional Hygiene Brush Charter (see page 66)
- All Hillbrush products comply with our Quality Assurance Programme

OUR RANGES

RESIN-SET DRS®

The Hillbrush Dual Retention System (DRS®) secures the folded polyester filaments into the brush back with stainless steel staples and an anti-microbial epoxy resin. The DRS® minimises the risk of filament loss from the brush and by filling the holes with resin, helps prevent any dirt and debris getting into the holes.



METAL AND X-RAY DETECTABLE (MDX) PLASTIC

Hillbrush has developed a range of hand brushes and plastic tools using metal detectable and x-ray visible plastic additives. There are two types of Hillbrush MDX products:



Total MDX: where all components are detectable, including resin and filaments. The brushes in this range are resin-set to ensure added filament security. These products are available in navy blue.

Colour Coded MDX: Where only the filaments are detectable and the brush back is available in 5 standard colours.

ANTI-MICROBIAL

Our Anti-Microbial cleaning products, available in up to 6 colours, are infused with Biomaster, a silver-ion based additive that disrupts the growth of moulds, fungi and bacteria on the products. Biomaster is up to 99.99% effective against microbes such as Listeria, E.Coli and MRSA.



FOODSERVICE

This lighter range has been developed for food handling in the Hotel, Restaurant and Catering (HORECA) industries. The range is manufactured from the same high quality materials as our standard range, but the stocks are thinner. All components are FDA and EU approved for food contact and can be autoclaved (sanitised) up to 134°C. The products in this range can be branded with your company logo in the mould tool or as a print once manufactured.



ANCILLARY EQUIPMENT

Hillbrush Hygiene also includes a wide range of ancillary equipment including scoops, scrapers, shovels, buckets, dustpans and more, suitable for a wide range of cleaning applications.



HAND BRUSHES

SOFT BANISTER BRUSH (0.3MM)

B861



Resin-Set **B861RES**



Anti-Microbial **AMB861**



MDX **B861MDX**



Total MDX **B861RESMDX**



317 x 35mm

STIFF BANISTER BRUSH (0.6MM)

B862



Resin-Set **B862RES**



Anti-Microbial **AMB862**



317 x 35mm

EXTRA SOFT BANISTER BRUSH (0.2MM)

B863RES



Extra soft, ideal for flour, powders and sugar

317 x 35mm

MEDIUM BANISTER BRUSH (0.45MM)

B864



Resin-Set **B864RES**



317 x 35mm

SOFT XL BENCH BRUSH (0.3MM)

Resin-Set **B1851RES**



The face of this brush is wider and longer than our B861

345 x 40mm

MEDIUM UTILITY BRUSH (0.35MM)

B884



Resin-Set **B884RES**



Excellent brush for spot cleaning chopping boards and utensils

260 x 48mm

STIFF SHORT HANDLED BRUSH (0.6MM)

D4



Resin-Set **D4RES**



Anti-Microbial **AMD4**



MDX **D4MDX**



Total MDX **D4RESMDX**



Heavy duty scrub, ideal for any surface, and getting into corners and rebates

254 x 72mm

SOFT SHORT HANDLED BRUSH (0.3MM)

D5



Resin-Set **D5RES**



Heavy duty scrub, ideal for any surface, and getting into corners and rebates

254 x 72mm

STIFF LONG HANDLED BRUSH (0.6MM)

D9



Resin-Set **D9RES**



MDX **D9MDX**



Total MDX **D9RESMDX**



For cleaning distant corners, awkward machinery and deeper vats
406 x 50mm

MEDIUM LONG HANDLED BRUSH (0.3MM)

D10



Resin-Set **D10RES**



For cleaning distant corners, awkward machinery and deeper vats
406 x 50mm

HEAT RESISTANT LONG HANDLED BRUSH (0.6MM)

D9-PEEK



Max usage temperature
250°C. White back only.



Polyether Ether Ketone (PEEK) fibres will stand extreme
continuous heat (250°C). White back only
406 x 50mm

MEDIUM GUARDED MACHINE BRUSH (0.45MM)

B1423RES



For cleaning around machine blades. White back only
550 x 20mm (120mm ø guard)

WIRE SCRATCH BRUSH (0.31MM)

WS6S



Resin-Set **WS6SRES**



Stainless steel wire brush, for scouring burnt-on, ingrained deposits
279 x 35mm

STIFF DETAIL BRUSH (0.4MM)

B1606



Chisel edged detail brush for spot work
225 x 21mm

SOFT PASTRY BRUSH (0.2MM)

PA2



For applying eggs, oil or butter to pastries. Not for cleaning
machinery. Resin-Set without staples.
240 x 21mm ø

NARROW GLAZING BRUSH (0.2MM)

GL30



For applying eggs, oil or butter to pastries. Not for cleaning
machinery. Resin-Set without staples.
200 x 25mm

MEDIUM GLAZING BRUSH (0.2MM)

GL11



For applying eggs, oil or butter to pastries. Not for cleaning
machinery. Resin-Set without staples.
210 x 50mm

WIDE GLAZING BRUSH (0.2MM)

GL31



For applying eggs, oil or butter to pastries. Not for cleaning
machinery. Resin-Set without staples.
220 x 75mm

STAINLESS STEEL STRIP BRUSH (0.35MM)

B1538



Robust, ultra thin blade for delicate work or tight areas. Also good for cleaning fish after gutting
240 x 5mm

STAINLESS STEEL NICHE BRUSH (0.15MM)

B1240



Stainless steel wire detail brush
180 x 10mm

MEDIUM NICHE BRUSH (0.3MM)

B1241



Resin-Set **B1241RES**



For detailed work and cleaning machinery
180 x 10mm

STIFF ROUND SCRUB (0.6MM)

ST9



Resin-Set **ST9RES**



For cleaning sinks, trays, draining boards and worktops
100 x 115mm ø

MEDIUM SHORT HANDLED BRUSH (0.6MM)

D7



For removing debris from worktops, conveyor belts, containers and machinery
254 x 68mm

STIFF NAIL BRUSH (0.4MM)

NA4



Resin-Set **NA4RES**



MDX **NA4MDX**



122 x 44mm

MEDIUM GRIPPY NAIL BRUSH (0.15MM)

NA10



102 x 34mm

STIFF GRIPPY SCRUB (0.6MM)

ST8



Heavy scrub for close work, chisel edged handle
152 x 60mm

DUAL STIFFNESS DOUBLE WING SCRUB (0.6MM)

ST5



Resin-Set **ST5RES**



AM **AMST5**



Extra heavy scrub, double wing for getting into rebates and corners
210 x 65mm

STIFF LARGE CURVED BACK SCRUB (0.6MM)

ST7



Resin-Set **ST7RES**



Medium duty scrub, ideal for corners and rebates
198 x 70mm

FLOOR BRUSHES

For handles, see pages 58-59

EXTRA STIFF GROUT SCRUB WITH SWIVEL JOINT (0.6MM)

ST11



White back only
240 x 34mm

EXTRA STIFF SCRUB WITH SWIVEL JOINT (0.6MM)

ST12



For scrubbing tight areas that require high manoeuvrability. White back only
197 x 78mm

MEDIUM 230MM MINI FLOOR BRUSH (0.45MM)

B929



Resin-Set B929RES



For close work in small areas
230 x 50mm

EXTRA STIFF 230MM DECK SCRUB (0.6MM)

B928



Resin-Set B928RES



Small scrub for spot work
230 x 50mm

STAINLESS STEEL 230MM DECK SCRUB (0.31MM)

B1342



Resin-Set B1342RES



Stainless steel wire scouring brush, for use on concrete
230 x 50mm

254MM MEDIUM UPRIGHT SOCKET BRUSH (0.45MM)

B1850



Resin-Set B1850RES



For sweeping in tight areas. Often used with a lobby pan (page 63)
254 x 45mm

254MM MEDIUM ANGLED FLOOR BRUSH (0.6MM)

B1852



Resin-Set B1852RES



Allows swift clearing of small areas, angled fibres excellent for edges and corners
254 x 45mm

MEDIUM HIGH-LOW BRUSH (0.45MM)

B1783



Dual angle tufts and oblique angle socket allow easy cleaning under low tables, and walls
254 x 50mm

280MM SOFT FLOOR BRUSH (0.3MM)

B1731



Light and agile. Thinner block. Recommended handle: ALH5
280 x 58mm

280MM MEDIUM FLOOR BRUSH (0.45MM)

B1732



Light and agile. Thinner block. Recommended handle: ALH5
280 x 58mm

280MM STIFF FLOOR BRUSH (0.6MM)

B1733



Light and agile. Thinner block. Recommended handle: ALH5
280 x 58mm

280MM EXTRA STIFF DECK SCRUB (0.6MM)

B1745



Light and agile. Thinner block. Recommended handle: ALH5
280 x 58mm

OUTDOOR FLOOR BRUSH (1.01MM)

B757



For outdoor use on all types of debris
305 x 75mm

305MM SOFT FLOOR BRUSH (0.3MM)

B849



Resin-Set **B849RES**



For drier, dustier areas
305 x 75mm

305MM MEDIUM FLOOR BRUSH (0.45MM)

B758



Resin-Set **B758RES**



Anti-Microbial **AMB758**



305 x 75mm

305MM STIFF FLOOR BRUSH (0.75MM)

B993



Resin-Set **B993RES**



305 x 75mm

305MM STIFF DECK SCRUB (0.6MM)

B770



Resin-Set **B770RES**



Anti-Microbial **AMB770**



Heavy scrub for stains, stuck-on debris, spot cleaning
305 x 75mm

305MM EXTRA STIFF DECK SCRUB (0.75MM)

B759



Resin-Set **B759RES**



Heavy scrub for more uneven or pitted surfaces
305 x 75mm

390MM SOFT NARROW FLOOR BRUSH (0.3MM)

B1082



Resin-Set **B1082RES**



Narrow 50mm block reduces bulk and weight. Light and agile
390 x 50mm

390MM STIFF NARROW FLOOR BRUSH (0.6MM)

B1083



Resin-Set **B1083RES**



Narrow 50mm block reduces bulk and weight. Light and agile
390 x 50mm

457MM MEDIUM FLOOR BRUSH (0.45MM)

B809



Resin-Set B809RES



Anti-Microbial AMB809



Heavy duty broom for large areas
457 x 75mm

457MM STIFF FLOOR BRUSH (0.75M)

B994



Resin-Set B994RES



Anti-Microbial AMB994



Heavy duty broom for large areas
457 x 75mm

500MM SOFT FLOOR BRUSH (0.3MM)

B1760



Light and agile. Thinner block. Recommended handle: ALH5
500 x 60mm

500MM MEDIUM FLOOR BRUSH (0.45MM)

B1657



For lighter duty sweeping in large areas. Handle: ALH5
500 x 60mm

500MM STIFF FLOOR BRUSH (0.6MM)

B1786



Light and agile. Thinner block. Recommended handle: ALH5
500 x 60mm

610MM MEDIUM FLOOR BRUSH (0.6MM)

B883



Resin-Set B883RES



Heavy duty broom for wide open areas
610 x 75mm

610MM SOFT FLOOR BRUSH (0.3MM)

B1134



Resin-Set B1134RES



Heavy duty broom for wide open areas
610 x 75mm



B883 + ALH8

FOODSERVICE

Colour coded economical brushware with stainless steel staples. Available in up to 5 colours. Perfect for use in the foodservice and HORECA (Hotel, Restaurant and Catering) industries. All components are FDA/EU food contact approved.



180MM STIFF ERGONOMIC SCRUB (0.6MM)

B1873



For cleaning stubborn dirt from trays, boards and work surfaces
180 x 50mm

215MM STIFF DECK SCRUB (0.6MM)

B1874



For removing stubborn debris from floors in small to medium areas
215 x 48mm

238MM STIFF UTILITY BRUSH (0.6MM)

B1875



For spot cleaning chopping boards and utensils
238 x 55mm

280MM SOFT FLOOR BRUSH (0.3MM)

B1876



For cleaning small to medium areas
280 x 55mm

280MM STIFF FLOOR BRUSH (0.6MM)

B1877



For clearing small to medium areas
280 x 55mm

380MM SOFT FLOOR BRUSH (0.3MM)

B1878



For sweeping medium to large areas
380 x 55mm

380MM STIFF FLOOR BRUSH (0.6MM)

B1879



For sweeping medium to large areas
380 x 55mm

MEDIUM DISH WASH BRUSH (0.35MM)

DW1090



270 x 30mm

1245MM LIGHT DUTY ALUMINIUM HANDLE

ALH6



Lower weight handle than our standard handles (page 58) for use with the Foodservice Range
1245 x 25mm ø

FIND OUT MORE
hillbrush.com/foodservice

WATERFLOW

MEDIUM WATERFLOW TANK BRUSH (0.35MM)

WFD77



For cleaning tanks, vats and gullies. Two holes allow water to pass through
216 x 59mm

STIFF WATERFLOW TANK BRUSH (0.6MM)

WFD79



For cleaning tanks, vats and gullies. Two holes allow water to pass through
216 x 59mm

SOFT CURVED WALL BRUSH (0.3MM)

B1056



The oblique handle socket, rounded edges and very dense, soft fibre makes this an ideal wall and vehicle cleaning brush. Two holes allow water to pass through. White back only
216 x 59mm

WATERFLOW HANDLE CONNECTOR

WH/CON



For joining the ALH18 handle to the ALH17 extension piece
216 x 59mm

WATER STOP CONNECTOR

W/STOP



Required for use with all waterflow handles. When disconnected, water flow is shut off
216 x 59mm



1 POLYPROPYLENE WATERFLOW HANDLE

WFPLH3



Fixed length polypropylene waterflow handle
1400 x 25mm \varnothing

2 EXTENDING ALUMINIUM WATERFLOW HANDLE

WFPLH3EX



Telescopic waterflow handle
1700-2800 x 25mm \varnothing

3 ALUMINIUM WATERFLOW EXTENSION

ALH17



Extension tube to go with ALH18. WH/CON is required to connect
690 x 25mm \varnothing

4 ALUMINIUM WATERFLOW HANDLE

ALH18



Fixed length aluminium waterflow handle
1350 x 25mm \varnothing

BULK TANK BRUSHES

MEDIUM BULK TANK BRUSH (0.35MM)

D77



Resin-Set **D77RES**



MDX **D77MDX**



Resin shape



For cleaning tanks, vats and gullies
216 x 59mm

STIFF BULK TANK BRUSH (0.6MM)

D79



Resin-Set **D79RES**



Anti-Microbial **AMD79**



MDX **D79MDX**



Standard shape



For cleaning tanks, vats and gullies
216 x 59mm

TUBE & TWISTED WIRE BRUSHES

PLASTIC CORE TUBE BRUSH (0.45MM - 0.6MM)

75mm ϕ x 180mm, Medium Crimped Fill **B1529/75**



115mm ϕ x 190mm, Medium Fill **B1529/115**



For cleaning tanks, vats and gullies
175mm length

FLEXIBLE TWISTED WIRE BRUSH (0.4MM - 0.6MM)

25mm ϕ , Medium Fill **T942**



65mm ϕ , Medium Fill **T945**



Twisted wire brush on a 3m long highly flexible Acetyl rod
3000mm length

TWISTED WIRE BRUSH (STAINLESS STEEL)

13mm ϕ , Medium Fill **T831** (0.3mm)



25mm ϕ , Medium Fill **T832** (0.4mm)



38mm ϕ , Medium Fill **T833** (0.4mm)



50mm ϕ , Medium Fill **T834** (0.6mm)



64mm ϕ , Medium Fill **T835** (0.6mm)



T835



Comfortable plastic grip with hanging hole
T831, T832 = 375mm overall length
T833, T834, T835 = 400mm overall length

TWISTED WIRE BRUSH HEAD

13mm ϕ , Medium Fill **T961** (0.25mm)



20mm ϕ , Medium Fill **T962** (0.25mm)



38mm ϕ , Medium Fill **T963** (0.3mm)



50mm ϕ , Medium Fill **T964** (0.6mm)




64mm ϕ , Medium Fill **T965** (0.6mm)



75mm ϕ , Medium Fill **T966** (0.6mm)



T963



T965



For long pipes with moderate curves. The T961, T962 and T963 have fan tufts, the T964, T965 and T966 do not. For exclusive use with the T/HAN range of handles below

FLEXIBLE STAINLESS STEEL WIRE HANDLES

800mm **T/HAN800**

1500mm **T/HAN1500**


3000mm **T/HAN3000**



Highly flexible stainless steel wire handle with ferrule to fit T961 - T966 brushes



HANDLES



1 MINI ALUMINIUM HANDLE

ALH30



Polypropylene grip
340 x 25mm Ø

2 SHORT ALUMINIUM HANDLE

ALH15



Polypropylene grip
700 x 25mm Ø

3 LIGHT DUTY ALUMINIUM HANDLE

ALH6



Polypropylene grip. For Foodservice products on page 54
1245 x 25mm Ø

4 LIGHT DUTY ALUMINIUM HANDLE

ALH5



Polypropylene grip. Recommended for lighter duty brushes
1270 x 25mm Ø

5 STAINLESS STEEL HANDLE

SSH2



MDX SSH2MDX



Polypropylene grip
1350 x 25mm Ø

6 ALUMINIUM HANDLE

ALH7



Anti-Microbial AMALH7



Polypropylene grip. One of our most popular handles
1360 x 25mm Ø

7 SWAGED END ALUMINIUM HANDLE

ALH7A



Polypropylene grip. For use with lightweight metal squeegees and ZP/FRM
1360 x 25mm Ø

8 ALUMINIUM HANDLE

ALH27



Polypropylene sleeve
1380 x 25mm Ø

9 ONE-PIECE PLASTIC HANDLE

PLH3



Anti-Microbial AMPLH3



Reinforced threaded end
1400 x 25mm Ø

10 FIBREGLASS HANDLE

FHG2



Polypropylene grip
1400 x 25mm Ø

11 LONG ALUMINIUM HANDLE

ALH8



Polypropylene sleeve
1535 x 25mm Ø

12 STAINLESS STEEL HANDLE

SSH4



Polypropylene grip
1550 x 25mm Ø

ACCESSORIES

ACME HANDLE ADAPTOR

ADPT2



For joining metric threaded handles to ACME threaded products
85 x 32mm Ø

POLYPROPYLENE GRIP REPLACEMENT

PLHGRP6



Fits SSH2, SSH4, ALH30, ALH15, ALH7, ALH7A, FHG2
150mm

SCRAPERS

MEDIUM PLASTIC SCRAPER

PSC1



Anti-Microbial AMPSC1



MDX PSC1MDX



205 x 76mm



LARGE PLASTIC SCRAPER

PSC2



Anti-Microbial AMPSC2



MDX PSC2MDX



255 x 110mm



FLEXIBLE PLASTIC SCRAPER

FLPSC3



Flat, graduated radial and shaped edges make this flexible scraper ideal for bowls, trays and lids
90 x 200mm



LARGE HEAT RESISTANT PLASTIC SCRAPER

PSC5



For hot surfaces, up to 240°C

255 x 110mm



NARROW STAINLESS STEEL HAND SCRAPER

MSC3/38



Rigid stainless steel scraper, with polypropylene grip
38 x 230mm



WIDE STAINLESS STEEL HAND SCRAPER

MSC3



Rigid stainless steel scraper, with polypropylene grip
75 x 225mm



FLEXIBLE STAINLESS STEEL SCRAPER

MSC22



Highly flexible for easy cleaning of flat, hard surfaces
125 x 100mm (85mm blade)



STAINLESS STEEL DOUGH CUTTER

MSC4



Suitable for cutting and scraping dough
157 x 87mm (45mm blade)




HEAVY DUTY STAINLESS STEEL SCRAPER

MSC1



The handle and scraper frame will not come apart
200 x 1300mm



Replacement Blade for MSC1 **MBLD1**

DUSTPANS AND SCOOPS

OPEN DUSTPAN

DP13



Anti-Microbial **AMDP13**



For clearing small areas of debris. Great with B861-4 on page 48
325 x 315mm

ENCLOSED DUSTPAN

DP3



For clearing small areas of debris. Great with B861-4 on page 48
180 x 300mm

HYGIENIC LOBBY PAN WITH 10" ANGLE BRUSH

DP7SET



Colour coded lid. Ideal for upright sweeping in smaller areas
260 x 300 x 145mm, maximum height at rest (as shown) 908mm

MINI SEAMLESS HAND SCOOP

SCOOP1



40 x 68 x 100mm (excluding handle) Approximate capacity 180ml

SMALL SEAMLESS HAND SCOOP

SCOOP2



Anti-Microbial **AMSCOOP2**



MDX **SCOOP2MDX**



60 x 110 x 145mm (excluding handle) Approximate capacity 650ml

MEDIUM SEAMLESS HAND SCOOP

SCOOP3



75 x 130 x 195mm (excluding handle) Approximate capacity 1360ml

LARGE SEAMLESS HAND SCOOP

SCOOP4



Anti-Microbial **AMSCOOP4**



MDX **SCOOP4MDX**



90 x 170 x 260mm (excluding handle) Approximate capacity 2720ml

BOWL SCOOP

SCOOP7



Useful pouring lip both sides for liquids. Approx capacity 1500ml
215mm ø (bowl)



DP13 + B1851RES

BUCKETS

ULTRA HYGIENIC BUCKET WITH LID

MBK15/SET



Anti-Microbial AMMBK15/SET



MDX MBK15/SETMDX



12 litre, 2.64 imp G, 3.2 USG with detachable lid
290 x 308mm ø



ULTRA HYGIENIC BUCKET

MBK15



Anti-Microbial AMMBK15



MDX MBK15MDX



12 litre, 2.64 imp G, 3.2 USG bucket only
290 x 308mm ø



ULTRA HYGIENIC BUCKET LID

MBK15/LID



Anti-Microbial AMMBK15/LID



MDX MBK15/LIDMDX



Lid suitable for the MBK15
15 x 310mm ø



WALL BRACKET

HH2



Anti-Microbial AMHH2



Use with HH1 and MBK15
120 x 110 x 90mm



PADDLES

1 ONE PIECE PADDLE

PADL10



White only. For mixing ingredients in cooking vats or for use in food preparation areas
1200 x 160mm (260mm blade)

2 ONE PIECE PADDLE WITH HOLES

PADL11



White only. For mixing ingredients in cooking vats or for use in food preparation areas
1200 x 160mm (260mm blade)

3 PADDLE WITH HANDLE

PADL3



The stainless steel handle and Polyester blade will not come apart. The blade can withstand temperatures of up to 240°C
1520 x 155mm (200mm blade)



SHOVELS



1



2



3



4



5

1 HEAVY DUTY D-GRIP SHOVEL

PSHOPL



One piece plastic shovel
390 x 330mm (1320mm overall length)

2 D-GRIP SHOVEL

PSH13



Anti-Microbial **AMPSH13**



320 x 260mm (1150mm overall length)

3 D-GRIP SHOVEL

PSH6



330 x 310mm (1170mm overall length)

4 T-GRIP SHOVEL

PSH2



320 x 260mm (1150mm overall length)

5 SOFT GRIP HAND SHOVEL

PSH7



320 x 260mm (580mm overall length)

HYGIENIC RAKE

HYGIENIC RAKE

UNIRAKE



Stainless steel tube handle with hand grip. For handling and processing of grapes, spent grain and hops. Superior handling performance and durability
210 x 260mm head with 1500mm handle

HYGIENIC RAKE HEAD ONLY

UNIRAKE/HO



Polypropylene rake head with ACME thread
210 x 260mm



HANGING SYSTEMS

OVERMOULDED HANGER

WLBR1



Overmoulded with anti-slip thermoplastic rubber
206 x 75mm

STAINLESS STEEL HANGER

SSHANG1



Easy to clean hanger. Asymmetrical spacing for holding a bucket
206 x 75mm

STAINLESS STEEL HOOKS

Standard (Square Back) SSHOOK1
Smart Hook (Round Back) SSHOOK2



SSHOOK1 suitable for use individually or on shadow boards.
SSHOOK2 complete with stainless steel bolt and washer. For shadow boards only

SSHOOK1 = L60 x W50 x H55mm
SSHOOK2 = 80 x 19mm ø

STAINLESS STEEL SHADOW BOARD SPACER

SSSPACER



For hanging shadow boards away from the walls to allow access behind for cleaning. Made from solid stainless steel. Will not rust
30 x 19mm ø

ALUMINIUM HANGING RAIL SET

5 x HOLD1 HD6



For storing cleaning tools according to a colour coded system.
System comes with fixing screws and plugs
515 x 55mm

ALUMINIUM HANGING RAIL SET

3 x HOLD2 HD7



For storing larger cleaning tools according to a colour coded system. System comes with fixing screws and plugs
515 x 55mm

ALUMINIUM HANGING RAIL

RAIL500



Each rail comes with a set of different colour end caps. Suitable for HOLD1, HOLD2, HDHOOK1. Comes with fixing screws and plugs
515 x 55mm

MEDIUM PLASTIC HANGER

HOLD1



Fits RAIL500. For 20-30mm ø items. Can be used individually. Suitable for shadow board use
72 x 35 x 77mm

LARGE PLASTIC HANGER

HOLD2



Fits RAIL500. For 30-40mm ø items. Can be used individually. Suitable for shadow board use
83 x 35 x 78mm

PLASTIC HOOK

HDHOOK1



Fits RAIL500 and can be used individually
55 x 70mm

WORKPLACE ORGANISATION



Whether you call them shadow boards, cleaning stations, tool boards, or visual management aids, Hillbrush can help design a bespoke workplace organisation solution, in order to create order, comply with industry standards, increase product lifespan and improve hygienic practices.

ORGANISATION AT ALL TIMES

Ensure that your cleaning equipment has a set storage space off the floor at all times to monitor product whereabouts and condition.

RIGHT PLACE, RIGHT TIME

By having shadow boards in each working area, staff will always have access to the right cleaning equipment for the job at the right time, reducing the risk of cross contamination across working areas.

CREATE ORDER, MITIGATE RISKS

Ensuring products are hung up separately allows them to hygienically air dry, reducing scope for bacterial growth. Colour coding products and cleaning areas aids business improvement and good hygiene practices such as HACCP, 5S and LEAN.

VISUAL MANAGEMENT

Make key messages understandable and visually segregate products to support good hygiene practices.

HYGIENIC GUIDELINES

The latest BRC V8 food safety guidelines suggest that 'Cleaning equipment shall be cleaned and stored in a hygienic manner to prevent contamination' and should be 'suitably identified for intended use (e.g. colour coded)'. Our workplace organisation solutions are an ideal method of complying with these new guidelines.

TIME SAVING

Providing a dedicated space for workplace cleaning equipment has been proven to save time and improve organisation, increase equipment life and therefore replacement costs.

FULLY BESPOKE

Hillbrush boards are designed to your specification by our expert team. Each board can include your company logo and/or your customer's logo and any other information you require. Manufactured from DiBond (3mm) or Anti-Microbial plastic (3mm or 6mm).

PROTECTED WITH BIOMASTER*

Biomaster Silver-Ion Antimicrobial Technology inhibits the growth and spread of bacteria. Biomaster is infused throughout the boards, providing permanent protection from bacteria such as E.Coli, Listeria and MRSA among others. Combined with our Anti-Microbial cleaning tools, Anti-Microbial shadow boards provide the ultimate cleaning and hygienic storage solution



HILLBRUSH BOARDS



Bespoke



Anti-Microbial*



Lightweight



Durable



Non-Toxic



Anti-Static*



Portable*

FIND OUT MORE

hillbrush.com/sb

*Anti-Microbial Boards only



Charter for Professional Hygiene Brushware

Hillbrush is registered to the FEIBP (European Brushware Federation) Charter for Professional Hygiene Brushware and ensures that products belonging to the Hillbrush Hygiene brand are compliant in every aspect.

The FEIBP responded to a market requirement by introducing a Charter for Professional Hygiene Brushware. The Charter has been established so as to enable the purchasers of this type of product to be confident that they will be supplied with high quality professional brushware which comply with all existing hygiene regulations. The customers still have the responsibility of organising their own hygiene systems, but will be assured that if they purchase professional hygiene brushware from an FEIBP registered manufacturer it will be fit for purpose. The PHB logo is officially registered as EU collective trademark no. 010919132.

1. DEFINITION OF HYGIENE BRUSHWARE

These are products from the brushware sector which are intended for use in any food business (which includes preparation, processing, manufacturing, packing, storing, transportation, distribution, handling or offering for sale or supply, see COUNCIL DIRECTIVE 93/43 ECC 14th June 1993) or other hygienically sensitive areas such as hospitals, etc. The products are characterised by the fact that they are constructed in such a way, and of such materials, that they will not in themselves absorb bacteria or contaminate any food stuffs or sensitive areas during their normal use. The materials should be corrosion proof and non-toxic, and the products should be able to withstand sterilisation or disinfection by other processes, including chemical treatment.

2. SPECIFICATIONS OF BRUSHES, HANDLES AND SQUEEGEES

2.1 BRUSH COMPONENTS

The brush components must be made of materials resistant to solvents, chemical cleaning agents and temperatures required for disinfection. The components must not contain Chlorine. Any additives/compounds or colourants must be food grade of a recognised standard, and must not contain lead, mercury or cadmium. No hollow or flagged fibres are to be allowed or used.

2.2 BRUSH FILLING MATERIAL FIXING

The brush filling material retention must be by means of either wire (which cannot be attacked or made brittle by oxidation) and/or by means of epoxy resin, which is made up of food grade components of a recognised standard, or of fused construction.

2.3 HANDLES

Handles must be manufactured from food grade stainless steel or fibreglass with a topcoat, or aluminium which is either anodised or coated with approved materials, or plastic. All handle fittings (handgrips and threads) must be made from materials as those defined under "brush components".

2.4 SQUEEGEES

Squeegees for hygiene areas which use solid rubber or foamed rubber with minimum 95% closed cells in a double up construction, must be designed in such a way, that they can be cleaned, disinfected and inspected.

2.5 RELATED CLEANING EQUIPMENT

Plastic hand scoops, hand scrapers, shovels, containers/bins, stainless steel hand scrapers and floor scrapers.

2.6 MARKING/IDENTIFICATION

All marking of the products must be carried out by the best technical and hygienic methods possible, prescribed or not.

EXCLUSIONS OF LIABILITY

Information contained in this or any other Hillbrush catalogue is provided in good faith to assist in the correct application of the products specified. The information provided is accurate to the best knowledge and belief of Hillbrush. The use and application of the information contained within the catalogue remains, at all times, the responsibility of the user who should ensure the suitability of the products for the intended application. Hillbrush accepts no liability whatsoever (except as otherwise provided by law) arising out of the misuse of the information provided. Specifications may be changed without notice.



HYGIENE AND HILLBRUSH



Colour Coding and HACCP Explained

HOW HILLBRUSH HYGIENE CAN HELP

Hillbrush Hygiene is known worldwide for our selection of high quality cleaning tools. We have a substantial catalogue of cleaning products suitable for a wide range of applications, including ultra-sensitive food contact areas, hospitals, food manufacturing facilities, kitchens and other catering establishments, and personal use. Manufactured in the UK, Hillbrush Hygiene products are exceptionally durable, are autoclavable up to 134°C (275°F) and most are manufactured from FDA and EU food contact approved materials. These features, along with our extensive range of standard and specialist products and organisational systems, keep Hillbrush Hygiene at the forefront of hygienic cleaning. We are committed to providing the best products and customer service to help you reach and maintain the highest cleaning standards possible.

HACCP

Hazard Analysis and Critical Control Points, or HACCP as it is commonly known, is a preventative approach to food safety from biological, chemical, and physical hazards in food production. By identifying critical control points, the HACCP system can be used at every stage of the food chain from manufacturing through to distribution.

THE SEVEN KEY PRINCIPLES OF HACCP

1. Conduct an analysis of hazards
2. Determine the Critical Control Points
3. Establish critical limits
4. Set up a monitoring system
5. Establish a procedure for corrective action
6. Establish procedures by which to verify the effectiveness of the HACCP plan
7. Maintain thorough records

WORKPLACE ORGANISATION

Shadow boards are an effective method of organising your workplace cleaning equipment according to a colour coded system. Shadow boards provide a place to allow products to hygienically air dry, apart from each other to reduce the possible spread of contamination. They also help to monitor equipment whereabouts and quality.

THE 5S SYSTEM

A simple process to create a safer, cleaner and well-organised workplace, through order and standardisation. These principles work alongside HACCP guidelines to improve efficiency and profitability.

1. Sort – establish which tools are needed in which area
2. Set in place – organise into designated colour-coded zones
3. Shine – carry out regular cleaning and maintenance
4. Standardise – set out cleaning and maintenance procedures
5. Sustain – ensure standards are followed



PRODUCT MAINTENANCE

Product Care

CLEANING YOUR TOOLS

- Remove visible dirt and foreign objects with a stiff brush.
- Use a cleaning solution with a pH 5 or less.
- Rinse thoroughly with clean water.
- If lime residue has formed on a tool it can be removed by washing in a cleaning solution with a pH 5 or less.
- Clean after washing with an approved disinfectant.
- Remove disinfectant residue by rinsing with clean water or using an industrial dishwasher (82°C/175°F).
- Hillbrush Hygiene products can be sterilised by autoclaving at temperatures up to 134°C/275°F.
- Ensure tools have sufficiently cooled before using again.
- Use a wall hanging system to hygienically air-dry them.

STORING YOUR TOOLS

- Store cleaning equipment away from working surfaces.
- Install shadow boards in partitioned work areas.
- Use a colour-coded hanging system to organise tools and avoid cross-contamination.

REPLACE YOUR TOOLS WHEN:

- Filaments are entangled, creating bacterial growth hotspots.
- Filaments are worn excessively or discoloured.
- Plastic moulds are scratched badly or marked.
- The handle is broken or bent.

Properties of Monofilaments

Properties	Unit of Measure	Nylon 6	Nylon 66	Polyester PBT	Polypropylene
Specific Gravity	–	1.14	1.14	1.34	0.91
Melting Point	°C	220	255	225	168
Maximum Working Temp	°C	100-120	100-120	80-100	70
Moisture Absorption	%	3	2.8	0.30	0.00
Water Absorption	%	9.5	8.5	0.5	0.01
Tensile Strength (Dry)	N/mm ²	80	85	36	55
Loss of Stiffness (Wet)	%	70/80	50/60	1.2	1.2
Abrasion Resistance	–	–	–	–	–
Bend Recovery	–	–	–	HIGH	–
Toxicity	–	NONE	NONE	NONE	NONE
Swelling in Water	%	2	2	0	0

Product Compliance Information

We hereby confirm that all products in our hygiene range comply with the legal regulations laid down in the European Plastic Regulation (EU) No 10/2011 as well as in Regulation (EC) No 1935/2004, both as amended. (More information is available on request.)

- Individual data sheets to satisfy your customers and their auditors are available on each product page on our website.
- Full product compliance documentation is also available covering all available Hillbrush Hygiene products, including migration test and detectability information. (Available from hillbrush.com/techinfo)

The table above and the table over the page act as a guide for using the listed chemicals as stated. Tests should always be carried out when using chemical combinations or substances not listed. We are unable to accept responsibility in respect of factors, which are outside our knowledge or control and affect the use of products. No warranty is given or is to be implied with respect to such information. Freedom under patents, copyrights and registered designs cannot be assumed. For additional information, please visit our website where you can download further Chemical Resistance Guides: hillbrush.com/uk/About/Technical-Information/material-properties/. Please contact us for information about Polyether Ether Ketone (PEEK)

CHEMICAL RESISTANCE GUIDE

Tolerance Ratings



Chemical	Concentration	Nylon 6	Nylon 66	Polyester PBT	Polypropylene
Acetic acid	100%	Fair	Poor	Good	Fair
Acetone	100%	Good	Good	Good	Good
Ammonia Liquid	–	Good	Good	Fair	Good
Aniline	100%	Fair	Fair	Good	Fair
Benzene	100%	Good	Good	Good	Fair
Bleaching Solutions Dilute	–	Fair	Fair	Good	Good
Caustic Potash	10%	Good	Good	Good	Good
Caustic Potash	50%	Good	Good	Fair	Good
Chlorine Water Saturated	–	Fair	Fair	Fair	Fair
Chloroform	100%	Fair	Fair	Good	Fair
Chromic Acid	10%	Fair	Fair	Good	Good
Citric Acid	10%	Fair	Fair	Good	Good
Detergent-Soaps	–	Good	Good	Good	Good
Ethanol	96%	Fair	Good	Good	Good
Ethylacetate	100%	Good	Good	Good	Good
Formic Acid	98%	Fair	Fair	Fair	Fair
Fuel Oil	–	Good	Good	Good	Fair
Glycerin	–	Good	Good	Good	Good
Hydrochloric Acid	30%	Fair	Fair	Fair	Good
Lactic Acid	20%	Fair	Fair	Good	Good
Methyl Alcohol	100%	Good	Good	Good	Good
Mineral Oil	–	Good	Good	Good	Good
Nitric Acid	10%	Fair	Fair	Good	Good
Nitric Acid	50%	Fair	Fair	Good	Fair
Oleic Acid	100%	Good	Good	Good	Good
Oxalic Acid	10%	Fair	Fair	Good	Fair
Petrol	–	Good	Good	Good	Fair
Phosphoric Acid	85%	Fair	Fair	Good	Good
Sea Water	–	Good	Good	Good	Good
Sodium Chloride (Salt)	–	Good	Good	Good	Good
Sodium Hydroxide	10%	Good	Good	Fair	Good
Sodium Hydroxide	50%	Good	Good	Fair	Good
Sodium Hypochloride	10%	Fair	Fair	Good	Good
Stearic Acid	100%	Fair	Fair	Good	Good
Sulphuric Acid	10%	Fair	Fair	Good	Good
Sulphuric Acid	100%	Fair	Fair	Fair	Fair
Tetrachloroethylene	–	Good	Good	Fair	Fair
Toluene	100%	Good	Good	Good	Fair
Trichloroethylene	–	Good	Good	Fair	Fair
Turpentine	100%	Good	Good	Good	Fair
Vaseline	–	Good	Good	Good	Good
Vegetable Oil	–	Good	Good	Good	Good

The above information is given on the assumption that the temperature of the chemical does not exceed 20°C. Please contact us for information about Polyether Ether Ketone (PEEK).

SYMBOL GUIDE

Autoclavable	PA Nylon Body	SS Stainless Steel Fill
Trim Length	ABS ABS Body	STL Steel Fill
NO For Standard Handles Only	FG Fibreglass Body	Diameter
TO For Threaded Handles Only	AL Aluminium Body	Fitted with Handle
T+ For Standard & Threaded Handles	SS Stainless Steel Body	Fitted with Handle and Stay
Temperature Tolerance	TPR Thermoplastic Rubber	Capacity
Pack Quantity - Can be Split	PEEK Polyether Ether Ketone Fill	Weight
Pack Quantity - Cannot be Split	PP Polypropylene Fill	Machine Washable
PP Polypropylene Body	PVC PVC Fill	Non-Food Contact*
PVC PVC Body	PBT Polyester Fill	Waterflow
PET Polyethylene Body	PA Nylon Fill	Products available in <i>up to</i> the stated amount of colours**

*According to FEIBP regulations

**Not all products per category are available in all colours noted on the colour wheel

When ordering our products you will notice there are variations for certain products. These are explained using the following key:

AM: Anti-Microbial

MDX: Metal detectable and X-ray visible

RES: Resin-Set DRS® Brushware

When ordering our colour-coded products, please use the colour notations below (listed in brackets next to the relevant colour) to denote which colour you would like to purchase. On the majority of our Hygiene products, add the colour notation to the end of the product code. For example, if you wish to purchase a Yellow B861, simply add a Y to the end of the code as so: B861Y.

Please note: Our Resin-Set DRS® and Colour-Coded MDX products will need the colour notation before the RES or MDX notation. For example, B861YRES, or B861YMDX. Our Total MDX (dark blue) does not need a colour reference.

Blue (B)	Grey (GRY)	White (W)
Black (BLK)	Red (R)	Yellow (Y)
Brown (BRN)	Tangerine (T)	Anti-Microbial Purple (P)
Green (G)	Violet (V)	MDX Dark Blue †

† Colour notation already within product code

CARRIAGE

NETT CARRIAGE CHARGES

Orders for standard catalogue items are sent carriage paid to mainland UK on minimum order value of £300 nett, Northern Ireland on minimum value of £760 nett and to Southern Ireland on minimum order value of £875/€1,000 nett.

OTHER CARRIAGE CHARGES

UK mainland orders under £300 Nett will incur a £10 delivery charge. Timed and morning deliveries are available on request (charges apply).

TERMS & CONDITIONS OF SALE

The customer's attention is drawn in particular to the provisions of clause 9

1. INTERPRETATION

1.1 Definitions. In these Conditions, the following definitions apply:

"Business Day"; a day other than a Saturday, Sunday or public holiday in England when banks in London are open for business.

"Conditions"; the terms and conditions set out in this document as amended from time to time in accordance with clause 11.6.

"Contract"; the contract between the Supplier and the Customer for the sale and purchase of the Goods in accordance with these Conditions.

"Customer"; the person or firm who purchases the Goods from the Supplier.

"Force Majeure Event"; has the meaning given in clause 10.

"Goods"; the goods (or any part of them) set out in the Order.

"Order"; the order by the Customer for the Goods, as set out in the purchase order form of the Customer.

"Specification"; any specification for the Goods, including any related plans and drawings, that is agreed in writing by the Customer and the Supplier.

"Supplier"; The Hill Brush Company Ltd (registered in England and Wales with company number 03464746).

1.2 Construction. In these Conditions, the following rules apply:

1.2.1 A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality)

1.2.2 A reference to a party includes its personal representatives, successors or permitted assigns

1.2.3 A reference to a statute or statutory provision is a reference to such statute or provision as amended or re-enacted. A reference to a statute or statutory provision includes any subordinate legislation made under that statute or statutory provision, as amended or re-enacted

1.2.4 Any phrase introduced by the terms including, include, in particular or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms

1.2.5 A reference to writing or written includes faxes and e-mails

2. BASIS OF CONTRACT

2.1 These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing.

2.2 The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for ensuring that the terms of the Order and any applicable Specification submitted by the Customer are complete and accurate.

2.3 The Order shall only be deemed to be accepted when the Supplier issues a written acceptance of the Order, at which point the Contract shall come into existence.

2.4 The Contract constitutes the entire agreement between the parties. The Customer acknowledges that it has not relied on any statement, promise, representation, assurance or warranty made or given by or on behalf of the Supplier which is not set out in the Contract.

2.5 Any samples, drawings, descriptive matter, or advertising produced by the Supplier and any descriptions or illustrations contained in the catalogues or

brochures of the Supplier are produced for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract or have any contractual force.

2.6 A quotation for the Goods given by the Supplier shall not constitute an offer. A quotation shall only be valid for a period of 60 Business Days from its date of issue unless otherwise specified by the Supplier.

3. GOODS

3.1 The Goods are described (i) in the catalogue of the Supplier as modified by any applicable Specification or (ii) in any Specification.

3.2 The Customer shall indemnify the Supplier against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other reasonable professional costs and expenses) suffered or incurred by the Supplier in connection with any claim made against the Supplier for actual or alleged infringement of a third party's intellectual property rights arising out of or in connection with the use of the Specification by the Supplier. This clause 3.2 shall survive termination of the Contract.

3.3 The Supplier reserves the right to amend the specification of the Goods if required by any applicable statutory or regulatory requirements.

4. DELIVERY AND RETURNS

4.1 The Supplier shall ensure that:

4.1.1 Each delivery of the Goods is accompanied by a delivery note which shows the date of the Order, all relevant reference numbers of the Customer and the Supplier, the type and quantity of the Goods (including the code number of the Goods, where applicable), special storage instructions (if any) and, if the Order is being delivered by instalments, the outstanding balance of Goods remaining to be delivered; and

4.1.2 If the Supplier requires the Customer to return any packaging materials to the Supplier (including returnable containers and/or pallets), that fact is clearly stated on the delivery note. The Customer shall make any such packaging materials available for collection at such times as the Supplier shall reasonably request. The cost of collection of the Goods shall be borne by the Supplier save that the Supplier shall be entitled to invoice the Customer for any packaging materials that are not made available for collection by the Customer within 7 days of delivery of the Goods to which the packaging materials relate and/or to invoice the Customer the Supplier's reasonable collection costs in the event of any delay caused by the Customer in making the packaging materials available for collection.

4.2 The Supplier shall deliver the Goods to the location set out in the Order or such other location as the parties may agree ("Delivery Location") at any time after the Supplier determines that the Goods are ready for delivery unless arrangements have been agreed with the Customer for the collection by the Customer of such Goods. Any delivery charges will be as specified in the Catalogue, in any Contract and/or as notified to the Customer from time to time and will be payable in full by the Customer in addition to the price of the Goods set out in the Contract.

4.3 The Customer agrees that the Supplier shall be entitled to deliver the Goods without prior notification to the Customer on any Business Day

between the hours of 8.00am and 5.30pm. Delivery of the Goods shall be completed on the arrival of the Goods at the Delivery Location. The Customer shall provide the Supplier with adequate delivery instructions, delivery access or any other instructions that are relevant to the supply of the Goods.

4.4 Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence. The Supplier shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the failure of the Customer to provide the Supplier with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.

4.5 If the Supplier fails or is unable to supply and deliver the whole or any part of the Goods within 180 days of the date of the Contract, it shall (if in its sole opinion it is able) offer the Customer a reasonably suitable alternative in respect of the Goods that it is unable to supply and/or notify the Customer of the Goods that it cannot supply. If the Customer notifies the Supplier within 5 Business Days that it does not accept the alternative goods, or if no alternative goods are available, the Customer shall be entitled to cancel that part of the Order only that relates to the specific Goods that cannot be supplied or delivered by the Supplier. In respect of the offer of alternative Goods, if the Customer does not notify the Supplier within 5 Business Days that it does not wish to accept the alternative Goods it shall be deemed to have accepted the offer of them. Provided that the Supplier notifies the Customer as aforesaid, the Supplier shall have no liability to the Customer whatsoever arising out of any failure to supply and deliver any Goods.

4.6 If the Customer fails to take delivery of the Goods on the date of attempted delivery of them, then, except where such failure or delay is caused by a Force Majeure Event or the failure of the Supplier to comply with its obligations under the Contract:

4.6.1 delivery of the Goods shall be deemed to have been completed on the day on which the Supplier attempted to deliver them; and

4.6.2 The Supplier shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance).

4.7 If 20 Business Days after the day on which the Supplier first attempted to deliver the Goods to the Customer the Customer has not taken delivery of them, the Customer irrevocably agrees that the Supplier may resell or otherwise dispose of part or all of the Goods (including (i) any Goods that contain any logos, designs and/or other trademarks of the Customer and/or (ii) any Goods that have been modified or made to the bespoke specifications of the Customer) and, after deducting reasonable storage and selling costs, account to the Customer for any excess over the price of the Goods or charge the Customer for any shortfall below the price of the Goods.

4.8 The Customer shall not be entitled to reject the Goods if the Supplier delivers up to and including 10% more or less than the quantity of Goods ordered, but a pro rata adjustment shall be made to the Order invoice on receipt of notice from the Customer that the wrong quantity of Goods was delivered.

4.9 The Supplier may deliver the Goods by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate Contract. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.

4.10 The Customer is responsible for checking and inspecting the Goods delivered and ensuring that all Goods listed on the delivery note have been delivered free from any damage caused in transit. Unless the Customer notifies the Supplier within 3 days of the date of delivery of Goods of any Goods which it claims are missing and/or have been damaged during transit, the Supplier shall have no liability to the Customer on any account whatsoever in respect of any missing and/or damaged Goods.

4.11 Subject to clause 5.2.3, the Customer shall not be entitled to return any Goods to the Supplier (for example in circumstances where the Customer has ordered in excess of its actual requirements) unless agreed in writing with the Supplier and subject to such terms and conditions as to the return of such Goods as the Supplier shall stipulate in its sole discretion from time to time.

4.12 The Supplier will not accept the return of any Goods where:

4.12.1 Those Goods are not contained within the Supplier's standard catalogue lines at the date of the proposed return;

4.12.2 Such Goods are not within their original packaging;

4.12.3 Such Goods are damaged and/or not in a saleable condition.

4.13 Without limiting the Supplier's right to stipulate the terms and conditions that will apply to the return of any Goods to it by the Customer pursuant to clause 4.11 and subject to the provisions of clause 4.12, the following general provisions will apply to all Goods that the Supplier agrees in writing may be returned (Returned Goods):

4.13.1 The Supplier will issue a return goods return note (GRN) in respect of the Returned Goods;

4.13.2 The Returned Goods will be returned to the Supplier at the cost and risk of the Customer;

4.13.3 The Customer will indemnify the Supplier in full against any damage and/or loss caused to the Returned Goods;

4.13.4 If the Returned Goods have not been paid for at the point of return, the Supplier shall be entitled (at the Supplier's sole discretion) to invoice the Customer a restocking charge of up to 40% of the invoice value of the Returned Goods (less any applicable VAT);

4.13.5 If the Returned Goods have been paid for in full at the point of return, the Supplier will (at the Supplier's sole discretion) issue a credit note to the Customer (and not for the avoidance of doubt any cash refund) of not less than 60% of the invoice value of the Returned Goods only (less any applicable VAT), such credit note to be valid for a period of 6 months from its date of issue;

4.13.6 Title in the Returned Goods shall (if title has already passed to the Customer pursuant to these Conditions) pass from the Customer to the Supplier upon delivery to the Supplier of the Returned Goods;

4.13.7 The Returned Goods must be returned undamaged in their original packaging.

4.14 The Supplier reserves the right in its sole discretion to reject any Returned Goods and require the Customer to arrange for collection of the same (at the Customer's cost). If the Customer fails to collect the same within 28 days of the Supplier's request, the Customer will remain liable to pay the full cost of such Returned Goods and the Supplier shall be entitled to re-sell such Returned Goods without further recourse or compensation payable of whatever nature to the Customer.

5. QUALITY

5.1 The Supplier warrants that on delivery, and for a period of 12 months from the date of delivery, (warranty period), the Goods shall:

5.1.1 Conform in all material respects with their description and any applicable Specification;

5.1.2 Be free from material defects in design, material and workmanship;

5.1.3 Be of satisfactory quality (within the meaning of the Sale of Goods Act 1979); and

5.1.4 Be fit for any purpose held out by the Supplier.

5.2 Subject to clause 5.3, if:

5.2.1 The Customer gives notice in writing to the Supplier during the warranty period and within 5 Business Days of discovery that some or all of the Goods do not comply with the warranty set out in clause 5.1;

5.2.2 The Supplier is given a reasonable opportunity of examining such Goods; and

5.2.3 The Customer (if asked to do so by the Supplier) returns such Goods to the place of business of the Supplier at the cost of the Customer, the Supplier shall, at its option, repair or replace the defective Goods, or refund the price of the defective Goods in full.

5.3 The Supplier shall not be liable for failure of the Goods to comply with the warranty set out in clause 5.1 in any of the following events:

5.3.1 The Customer makes any further use of such Goods after giving notice in accordance with clause 5.2; or

5.3.2 The defect arises because the Customer failed to follow the oral or written instructions of the Supplier as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none) good trade practice regarding the same; or

5.3.3 The defect arises as a result of the Supplier following any drawing, design or Specification supplied by the Customer; or

5.3.4 The Customer alters or repairs such Goods without the written consent of the Supplier; or

5.3.5 The defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions; or

5.3.6 The Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory requirements.

5.4 Except as provided in this clause 5, the Supplier shall have no liability to the Customer in respect of the failure of the Goods to comply with the warranty set out in clause 5.1.

5.5 The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Contract.

5.6 These Conditions shall apply to any repaired or replacement Goods supplied by the Supplier.

6. TITLE AND RISK

6.1 The risk in the Goods shall pass to the Customer on completion of delivery.

6.2 Title to the Goods shall not pass to the Customer until the earlier of:

6.2.1 The Supplier receives payment in full (in cash or cleared funds) for the Goods and any other goods that the Supplier has supplied to the Customer, in which case title to the Goods shall pass at the time of payment of all such sums; and

6.2.2 The Customer resells the Goods, in which case title to the Goods shall pass to the Customer at the time specified in clause 6.4.

6.3 Until title to the Goods has passed to the Customer, the Customer shall:

6.3.1 Store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as the property of the Supplier;

6.3.2 Not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;

6.3.3 Maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;

6.3.4 Notify the Supplier immediately if it becomes subject to any of the events listed in clause 8.2; and

6.3.5 Give the Supplier such information relating to the Goods as the Supplier may require from time to time.

6.4 Subject to clause 6.5, the Customer may resell or use the Goods in the ordinary course of its business (but not otherwise) before the Supplier receives payment for the Goods. However, if the Customer resells the Goods before that time:

6.4.1 It does so as principal and not as the agent of the Supplier; and

6.4.2 Title to the Goods shall pass from the Supplier to the Customer immediately before the time at which resale by the Customer occurs.

6.5 If before title to the Goods passes to the Customer the Customer becomes subject to any of the events listed in clause 8.2 then, without limiting any other right or remedy the Supplier may have:

6.5.1 The right to resell the Goods by the Customer or use them in the ordinary course of its business ceases immediately; and

6.5.2 The Supplier may at any time:

(a) Require the Customer to deliver up all Goods in its possession which have not been resold, or irrevocably incorporated into another product; and

(b) If the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored in order to recover them.

7. PRICE AND PAYMENT

7.1 The price of the Goods shall be the price set out in the Order, or, if no price is quoted, the price set out in the published price list of the Supplier in force as at the date of delivery.

7.2 The Supplier may, by giving notice to the Customer at any time up to 5 Business Days before delivery, increase the price of the Goods to reflect any increase in the cost of the Goods that is due to:

7.2.1 Any factor beyond the control of the Supplier (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs); or

7.2.2 Any request by the Customer to change the delivery date(s), quantities or types of Goods ordered, or the Specification; or

7.2.3 Any delay caused by any instructions of the Customer or failure of the Customer to give the Supplier adequate or accurate information or

instructions.

7.3 The price of the Goods is exclusive of the costs and charges of packaging, insurance and transport of the Goods, which shall be invoiced to the Customer.

7.4 The price of the Goods is exclusive of amounts in respect of value added tax ("VAT"). The Customer shall, on receipt of a valid VAT invoice from the Supplier, pay to the Supplier such additional amounts in respect of VAT as are chargeable on the supply of the Goods.

7.5 Subject to clause 7.7, the Supplier may invoice the Customer for the Goods on or at any time after despatch from the Supplier.

7.6 Subject to clause 7.7, the Customer shall pay the invoice in full and in cleared funds within 45 days of the date of the invoice unless otherwise agreed in writing with the Supplier. Payment shall be made to the bank account nominated in writing by the Supplier. Time of payment is of the essence.

7.7 The Supplier reserves the right to require the Customer to pay the Supplier in cleared funds the full or a percentage value of the Goods ordered (or to provide the Supplier with an irrevocable letter of credit in a form acceptable to the Supplier) before the Supplier despatches and delivers the relevant Goods to the Customer.

7.8 If the Customer fails to make any payment due to the Supplier under the Contract by the due date for payment, then the Customer shall pay interest on the overdue amount at the rate of 4% per annum above the base rate of Lloyds Bank PLC from time to time. Such interest shall accrue on a daily basis from the due date until actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest together with the overdue amount.

7.9 The Customer shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding (except for any deduction or withholding required by law). The Supplier may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Customer against any amount payable by the Supplier to the Customer.

8. TERMINATION AND SUSPENSION

8.1 If the Customer becomes subject to any of the events listed in clause 8.2, the Supplier may terminate the Contract with immediate effect by giving written notice to the Customer.

8.2 For the purposes of clause 8.1, the relevant events are:

8.2.1 The Customer suspends, or threatens to suspend, payment of its debts or is unable to pay its debts as they fall due or admits inability to pay its debts or (being a partnership) has any partner to whom any of the foregoing apply;

8.2.2 the Customer commences negotiations with all or any class of its creditors with a view to rescheduling any of its debts, or makes a proposal for or enters into any compromise or arrangement with its creditors other than (where the Customer is a company) where these events take place for the sole purpose of a scheme for a solvent amalgamation of the Customer with one or more other companies or the solvent reconstruction of the Customer;

8.2.3 (being a company) a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of the Customer, other than for the sole purpose of a scheme for a solvent amalgamation of the Customer with one or more other companies or the solvent reconstruction of the Customer; ;

8.2.4 (being an individual) the Customer is the subject of a bankruptcy petition or order;

8.2.5 a creditor or encumbrancer of the Customer attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 days;

8.2.6 (being a company) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the Customer;

8.2.7 (being a company) the holder of a qualifying charge over the assets of the Customer has become entitled to appoint or has appointed an

administrative receiver;

8.2.8 a person becomes entitled to appoint a receiver over the assets of the Customer or a receiver is appointed over the assets of the Customer;

8.2.9 any event occurs, or proceeding is taken, with respect to the Customer in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the events mentioned in clause 8.2.1 to clause 8.2.8 (inclusive);

8.2.10 the Customer suspends, threatens to suspend, ceases or threatens to cease to carry on all or a substantial part of its business;

8.2.11 the financial position of the Customer deteriorates to such an extent that in the opinion of the Supplier the capability of the Customer to adequately fulfil its obligations under the Contract has been placed in jeopardy; and

8.2.12 (being an individual) the Customer dies or, by reason of illness or incapacity (whether mental or physical), is incapable of managing his or her own affairs or becomes a patient under any mental health legislation.

8.3 Without limiting its other rights or remedies, the Supplier may suspend provision of the Goods under the Contract or any

other contract between the Customer and the Supplier if the Customer becomes subject to any of the events listed in clause 8.2.1 to clause 8.2.9, or the Supplier reasonably believes that the Customer is about to become subject to any of them, or if the Customer fails to pay any amount due under this Contract on the due date for payment.

8.4 On termination of the Contract for any reason the Customer shall immediately pay to the Supplier all of the outstanding unpaid invoices and interest of the Supplier.

8.5 Termination of the Contract, however arising, shall not affect any of the parties' rights, remedies, obligations and liabilities that have accrued as at termination.

8.6 Clauses which expressly or by implication survive termination of the Contract shall continue in full force and effect.

9. LIMITATION OF LIABILITY

9.1 Nothing in these Conditions shall limit or exclude the liability of the Supplier for:

9.1.1 death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable); or

9.1.2 fraud or fraudulent misrepresentation; or

9.1.3 breach of the terms implied by section 12 of the Sale of Goods Act 1979; or

9.1.4 defective products under the Consumer Protection Act 1987; or

9.1.5 any matter in respect of which it would be unlawful for the Supplier to exclude or restrict liability.

9.2 Subject to clause 9.1:

9.2.1 the Supplier shall under no circumstances whatever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with the Contract; and

9.2.2 the total liability of the Supplier to the Customer in respect of all other losses arising under or in connection with the Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed 100% of the price of the Goods.

10. FORCE MAJEURE

Neither party shall be liable for any failure or delay in performing its obligations under the Contract to the extent that such failure or delay is caused by a Force Majeure Event. A Force Majeure Event means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including strikes, lock-outs or other industrial disputes (whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdown of plant or machinery, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors.

11. GENERAL

11.1 Assignment and other dealings.

11.1.1 The Supplier may at any time assign, transfer, mortgage, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.

11.1.2 The Customer may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of its rights or obligations under the Contract without the prior written consent of the Supplier.

11.2 Notices.

11.2.1 Any notice or other communication given to a party under or in connection with the Contract shall be in writing, addressed to that party at its registered office (if it is a company) or its principal place of business (in any other case) or such other address as that party may have specified to the other party in writing in accordance with this clause, and shall be delivered personally, sent by pre-paid first-class post or other next working day delivery service, commercial courier, fax or e-mail.

11.2.2 A notice or other communication shall be deemed to have been received: if delivered personally, when left at the address referred to in clause 11.2.1; if sent by pre-paid first-class post or other next working day delivery service, at 9.00 am on the second Business Day after posting; if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed; or, if sent by fax or e-mail, one Business Day after transmission.

11.2.3 The provisions of this clause shall not apply to the service of any proceedings or other documents in any legal action.

11.3 Severance.

11.3.1 If any provision or part-provision of the Contract is or becomes invalid, illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision shall be deemed deleted. Any modification to or deletion of a provision or part-provision under this clause shall not affect the validity and enforceability of the rest of the Contract.

11.3.2 If one party gives notice to the other of the possibility that any provision or part-provision of this Contract is invalid, illegal or unenforceable, the parties shall negotiate in good faith to amend such provision so that, as amended, it is legal, valid and enforceable, and, to the greatest extent possible, achieves the intended commercial result of the original provision.

11.4 Waiver. A waiver of any right or remedy under the Contract or law is only effective if given in writing and shall not be deemed a waiver of any subsequent breach or default. No failure or delay by a party to exercise any right or remedy provided

under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall prevent or restrict the further exercise of that or any other right or remedy.

11.5 Third party rights. A person who is not a party to the Contract shall not have any rights to enforce its terms.

11.6 Variation. Except as set out in these Conditions, no variation of the Contract, including the introduction of any additional terms and conditions, shall be effective unless it is in writing and signed by the Supplier.

11.7 Governing law. The Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), shall be governed by, and construed in accordance with the law of England and Wales.

11.8 Jurisdiction. Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this Contract or its subject matter or formation (including non-contractual disputes or claims).

Index

3P	13	A72/2	22	B809	53
7P	14	A424	25	B809RES	53
7PFA48/1	23	AD1	32	B849	52
12PY	38	ADPT2	59	B849RES	52
14P	14	ADR2	32	B861	48
14PFA48/1	23	ADR3	32	B861MDX	48
16KT	39	AH/CON	37	B861RES	48
16PY	38	AL5LN	34	B861RESMDX	48
17	13	AL5N1/2	34	B862	48
20P	14	AL5N3/8	34	B862RES	48
23	13	AL51/2	33	B863RES	48
24CB	19	ALH4	42	B864	48
24P	14	ALH5	59	B864RES	48
24RSYCRU	42	ALH6	54, 59	B883	53
24ZPSYC	42	ALH7	59	B883RES	53
30BC	11	ALH7A	59	B884	48
32RSYCRU	42	ALH8	59	B884RES	48
32ZPSYC	42	ALH15	59	B928	51
050BC	13	ALH17	55	B928RES	51
70BC	12	ALH18	55	B929	51
80BC	12	ALH27	59	B929RES	51
128P/8	27	ALH30	59	B993	52
128P/12	27	ALH/CLIP1	40	B993RES	52
128P/16	27	ALH/CLIP2	40	B994	53
174	24	AMALH7	59	B994RES	53
204R	12	AMB758	52	B1056	55
234	24	AMB770	52	B1058	28
250M	18	AMB809	53	B1059	28
250P	18	AMB861	48	B1060	28
250PFA48/1	23	AMB862	48	B1061	28
320S	26	AMB994	53	B1082	52
326	26	AMD4	48	B1082RES	52
507	17	AMD79	56	B1083	52
824	24	AMDP13	61	B1083RES	52
1020/4	12	AMHH2	62	B1134	53
1020/4S	12	AMMBK15	62	B1134RES	53
1044	25	AMMBK15/LID	62	B1239	26
1130/12	20	AMMBK15/SET	62	B1240	50
5102	37	AMPLH3	59	B1241	50
5162/60	38	AMPLSB60	57	B1241RES	50
5222B	40	AMPSC1	60	B1269B	12
5222BK	40	AMPSC2	60	B1328	36
5222G	40	AMPSH13	63	B1333	26
5222W	40	AMSCOOP2	61	B1342	51
5228	40	AMSCOOP4	61	B1342RES	51
5229	40	AMST5	50	B1408	19
5361/60	38	B4/SH	17	B1423RES	49
8614GB	40	B21/10G	18	B1529/75	56
8617GB	40	B25	17	B1529/115	56
8620GB	40	B25/5	18	B1538	50
A42	17	B25FA54/2	23	B1606	49
A48/1	22	B25MFT	17	B1657	53
A48/2	22	B757	52	B1731	51
A54/2	22	B758	52	B1732	51
A54/2TAP	22	B758RES	52	B1733	52
A60/1	22	B759	52	B1745	52
A60/2	22	B759RES	52	B1760	53
A60/2TAP	22	B770	52	B1783	51
A72/1	22	B770RES	52	B1785	57

B1786	53	D77RES	56	H5/5	15
B1788	29	D79	56	H5/9	15
B1802	57	D79MDX	56	H7/3	15
B1802MDX	57	D79RES	56	H7/5	15
B1850	51	D82	19	H7/5FHS54	23
B1850RES	51	D93PWW	19	H8/3	16
B1851	48	D93WW	19	H9/3	15
B1851RES	48	D93WWFA48/1	24	H9/5	15
B1852	51	D94	19	H9/9	15
B1852RES	51	DOD1	36	H12/5	15
B1873	54	DOD2	36	H13/3	16
B1874	54	DOD3	36	H13/5	16
B1875	54	DOD4	36	H13/9	16
B1876	54	DP1	28	H14/5	15
B1877	54	DP1	26	H17/9	16
B1878	54	DP3	29, 61	H19/9	16
B1879	54	DP4SET	28	H33/3	16
BB1	35	DP5	29	H33/5	16
BB2	35	DP5SET	29	HAN1352	37
BB3	35	DP6	29	HD6	64
BB4	35	DP7SET	61	HD7	64
BC2	25	DP9SET	29	HDHOOK1	64
BC7FTH48/1	24	DP10SET	29	HH1	32
BC77	24	DP13	61	HH2	32, 62
BCL	21	DW582	29	HH3	32
BK9	41	DW726	29	HOLD1	64
BK12	41	DW1090	29	HOLD2	64
BP2	20	DW1090	54	JB5	11
BW1	20	EA3	13	JG2	11
BW1B	20	EQ18	26	JN21B	11
BW1S	20	ES1	43	JP13	26
BW3N	20	F6	16	JP14	26
C33	16	F11	14	JS8R	11
CAS4	57	FGH5	37	KEN/CLIP	40
CBH1	25	FHG2	59	KM25	26
CFB2	44	FLPLST4	21	KMOP4/450	39
CN1	25	FLPLST5	21	KMOP6/450	39
COR7	36	FLPSC3	60	KMOP8/250	39
COR9	36	FLUE1/2	35	KMOP11/340	39
COR10	36	FLUE4	35	LA1	11
CURB1	20	FLUE5	35	LA1P	26
D1BM	11	FLUE6	35	LA2M	26
D1P	11	FN01S	21	LHB5	29
D4	48	FSWNB	21	LHSH	43
D4MDX	48	FUL8N	34	LP5	31
D4RES	48	G44B	13	LP30	31
D4RESMDX	48	G55R	13	LP31	31
D5	48	GL11	49	LP32	31
D5RES	48	GL30	49	LP33	31
D7	50	GL31	49	LP34	31
D8M	11	H1/3	15	LP35	31
D9	49	H1/3FHS	24	LP-END	31
D9MDX	49	H1/5	15	LWR	19
D9-PEEK	49	H1/5FHS	24	M2	17
D9RES	49	H1/9	15	M24	25
D9RESMDX	49	H3/3	15	MB1	11
D10	49	H3/3M	15	MBK7	41
D10RES	49	H3/5	15	MBK8	41
D36N	34	H3/5M	15	MBK12	41
D38	33	H3/5MFHS	23	MBK15	62
D42	33	H4/3	15	MBK15/LID	62
D43	33	H4/5	15	MBK15/LIDMDX	62
D77	56	H4/9	15	MBK15MDX	62
D77MDX	56	H5/3	15	MBK15/SET	62

MBK15/SETMDX	62	P700/3	27	SCIS/MOP1	37
MBLD1	41, 60	P700/4	27	SCOOP1	61
MBLD2	41	PA1	26	SCOOP2	61
MFC210	30	PA2	49	SCOOP2MDX	61
MFP60	37	PADL3	62	SCOOP3	61
MOGG14	44	PADL10	62	SCOOP4	61
MOP1/200	38	PADL11	62	SCOOP7	61
MOP1/300	38	PB/7	11	SDH7	43
MOP2/200	39	PB/12	13	SE3	17
MOP5/250	39	PD110	42	SGST2	27
MOP9/200	39	PL20	30	SIM3	33
MOP10/130	39	PL21	30	SK1	12
MSC1	41, 60	PLH3	59	SNB1	21
MSC2	41	PLHGRP6	59	SP40/10PK	30
MSC3	60	PLSB30	57	SPNG/FRM1	38
MSC3/38	60	PLSB40	57	SPONGE2	38
MSC4	60	PLSB50	57	SQ18	42
MSC10	27	PLSB60	57	SQ24	42
MSC22	60	PLSB60MDX	57	SQ6330	42
N1	30	PLSB70	57	SQ6340	42
N5	30	PLST4	21	SQ6356	42
N6	30	PLST5	21	SQ6375	42
N6Y	30	PLST6	21	SQ6400	42
N7	30	PLST9	21	SQ6500	42
N8	30	PROHEAD	44	SQCAS4	57
N11	30	PROWBMED	44	SQCAS6	57
NA1	25	PROWBTRIP	44	SSH2	59
NA4	50	PS45	57	SSH2MDX	59
NA4MDX	50	PS60	57	SSH4	59
NA4RES	50	PSC1	60	SSHANG1	64
NA8	25	PSC1MDX	60	SSHOOK1	64
NA9	25	PSC2	60	SSHOOK2	64
NA10	50	PSC2MDX	60	SSSPACER	64
NA11	25	PSC5	60	ST1	11
NEVC	20	PSH2	63	ST5	50
NO1S	21	PSH6	63	ST5RES	50
P2	17	PSH7	63	ST7	50
P6	18	PSH8	43	ST7RES	50
P7	17	PSH13	63	ST8	28, 50
P12	18	PSH100	43	ST9	50
P12FA54/2	24	PSHOPL	63	ST9RES	50
P17R	18	PSHSB16	43	ST11	51
P124	25	PSHSB17	43	ST11	28
P240/1	27	PW1	45	ST12	28, 51
P240/1.1/2	27	PW2	45	STH5	22
P240/1/2	27	PW3	45	STYS1	21
P240/2	27	PW4	45	STYS2	21
P240/3	27	PW6	45	SWPLSB60	57
P240/4	27	PW9	45	T294	34
P360/1	27	PW10	45	T477	26
P360/1.1/2	27	PW12	45	T548	34
P360/2	27	PW14	45	T664	34
P360/3	27	PW17	45	T831	56
P360/4	27	PW23	45	T832	56
P514/1	27	PW26	45	T833	56
P514/1.1/2	27	PW31	45	T834	56
P514/1/2	27	PW32	45	T835	56
P514/2	27	PW33	45	T942	56
P514/3	27	PY10F	18	T945	56
P514/4	27	PY24	24	T961	56
P700/1	27	RAIL500	64	T962	56
P700/1.1/2	27	RHB25C	13	T963	56
P700/1/2	27	S/10	13	T964	56
P700/2	27	S104	24	T965	56

NOVETAL *Industries* PROCESSING TECHNOLOGY

ADRESSE

NOVETAL INDUSTRIES

Siège social :

1410, Chemin des Chaberts
83136 Garéoult France

Entrepôt:

Zac Des Cavières
83170 Camps la Source France

TÉLÉPHONE :

04 94 86 47 09 (France)

+ 33 (0) 4 94 86 47 09 (International)

Fax

04 94 59 32 92 (France)

+ 33 (0) 4 94 59 32 92 (International)

EMAIL :

info@novetal.com

Web:

www.novetal.com

Capital 100.000,00 € - Code APE : 4662Z Siret : 539 780 270 00044 N° TVA : FR 27 539 78 02 70

Banque: Crédit Agricole IBAN : FR76 1910 6000 0243 6418 5405 101 - Banque : Caisse d'Epargne : IBAN: FR76 1831 5100 0008 0088 5188 022

